




KODERUS

Facade decoration and insulation
system KODERUS 2IN1



Leading the way by fusion

FACADE SYSTEM

1. Insulation thickness

1A. 150 - 300 mm


1B. 100 - 300 mm

2. Concrete layer **thickness**: 11 - 30mm


3. Fixing band made of perforated steel

NEW


CLINKER PATTERN
PANEL WITH TG JOINT




STANDARD PANEL
WITH TG JOINT



CLINKER PATTERN
PANEL




STANDARD
PANEL




FACADE TEXTURES

You can order **individual texture design** based on your project needs from 1000 m² or choose from the collection of our 10 **main textures**.

STANDARD



CLINKER PATTERN



**Textures are produced from 1000 m².

FACADE COLORS

You can order **individual color based** on your project needs or choose from the collection of **4 pigmented colors**.

Your color

Pigmented:



K9002

White



K9006

Light gray



K1013

Ivory




K1001

Beige

Painted:

according to your chosen shade of a **palette of ~ 200 colors**.



*Painting the panels costs extra.

KEY PRODUCT BENEFITS



Up to **50% faster** facade installation



Lower costs of facade installation works



Exceptional durability, maintenance-free, fast damage replacement



Unique design and a variety of colors and textures – an appearance that creates value

PROCESSES COMPLETED FOR YOU IN THE FACTORY



EPS
sanding



Facade mesh
reinforcement




EPS insulation
anchoring



Adhesive
application and
plastering

KODERUS 2IN1 is best for

Apartment Buildings



Cottages



Private Houses



WE ALREADY HELPED TO REALIZE OVER A 200 OBJECTS



In 2021 our product was honored with the “**Product of the year**” award, proving the recognition of our innovations in the market.



CONTACT US



+370 605 645 10



info@koderus.lt



Žirgų g. 21, Antezerių k.,
LT-14158 Vilniaus r.



www.koderus.com

